

CA LDAP 15.1  
CA RS 1512 Service List

Release	Service	Description	Type
15.1	RO79448	DUPLICATE ATTRIBUTE TYPE	PTF
	RO80373	ADD SUPPORT FOR MEMLIMIT AND SHMEMMAX	PTF
	RO81425	DELETE USER WITH DATASET (RACF)	PTF
	RO82097	UPPERCASING RACF OMVS SEGMENTS	PTF
	RO83625	TSS FILTER SUPPORT UPDATES	PTF
	RO83907	GENERALTSOACCESS ATTRIBUTE NOT TRIGGER CREATEALIAS	PTF
	RO86240	ACF2LIDATTR CSV	PTF
The CA RS 1512 service count for this release is 7			

CA LDAP  
CA RS 1512 Service List for CDT9F10

FMID	Service	Description	Type
CDT9F10	RO79448	DUPLICATE ATTRIBUTE TYPE	PTF
	RO80373	ADD SUPPORT FOR MEMLIMIT AND SHMEMMAX	PTF
	RO81425	DELETE USER WITH DATASET (RACF)	PTF
	RO82097	UPPERCASING RACF OMVS SEGMENTS	PTF
	RO83625	TSS FILTER SUPPORT UPDATES	PTF
	RO83907	GENERALTSOACCESS ATTRIBUTE NOT TRIGGER CREATEALIAS	PTF
	RO86240	ACF2LIDATTR CSV	PTF
The CA RS 1512 service count for this FMID is 7			

CA LDAP 15.1  
CA RS 1512 - PTF RO79448 Details

Release	Service	Details
15.1	RO79448	<pre> RO79448  M.C.S. ENTRIES  = ++PTF (RO79448)  DUPLICATE ATTRIBUTE TYPE PROBLEM DESCRIPTION: This problem occurs when the user has many user defined attributes in ACF2 SYMPTOMS: LDAP abends with error in the sdterr: Inconsistent duplicate attributeType: "1.3.6.1.4.1.791.2.3.6.1.1.9.3066" IMPACT: LDAP will abend and will not come up. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA LDAP SERVER FOR Z/OS AND OS/390                Release 15.0 CA LDAP SERVER FOR Z/OS AND OS/390                Release 15.1 Related Problem: LDAPDV 229 Copyright (C) 2015 CA. All rights reserved. R00072-LDP151-SP1  DESC(DUPLICATE ATTRIBUTE TYPE). ++VER (Z038) FMID (CDT9F10) PRE ( RO56879 RO58276 ) SUP ( RO59547 RO61354 RO61825 RO62917 RO68380 TR57405 TR59547 TR61354 TR61825 TR62917 TR66084 TR68380 TR79448 ) ++HOLD (RO79448) SYSTEM FMID(CDT9F10) REASON (DYNACT )   DATE (15233) COMMENT ( +-----+            CA LDAP SERVER FOR Z/OS AND OS/390                Release 15.1            +-----+  SEQUENCE   After Apply. prior to LDAP restart.                      +-----+  PURPOSE    Implement PTF in LDAP.  +-----+  USERS      All Users.   AFFECTED  +-----+  KNOWLEDGE  SMP/E.  REQUIRED   Product Installation.  Product Deployment.  USS Commands.   +-----+  ACCESS     Access to the CDT9JCL dataset.                                   REQUIRED   Access to the USS directory where LDAP is installed.                        Permissions to make changes on the USS directory.               +-----+ ***** * STEPS    TO    PERFORM * ***** 1. Restart LDAP ). BINARY LINK('..back_caacf2_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre>

CA LDAP 15.1  
CA RS 1512 - PTF RO80373 Details

Release	Service	Details
15.1	RO80373	<pre> RO80373  M.C.S. ENTRIES  = ++PTF (RO80373)  ADD SUPPORT FOR MEMLIMIT AND SHMEMMAX PROBLEM DESCRIPTION: Adding support for fields MEMLIMIT and SHMEMMAX in LDAP 15 and 15.1 SYMPTOMS: N/A IMPACT: N/A CIRCUMVENTION: N/A PRODUCTS AFFECTED: LDAP 15.0 and 15.1 ENHANCEMENT DESCRIPTION: PRODUCT(S) AFFECTED: LDAP SERVER FOR Z/OS AND OS/390                      Release 15.0 LDAP SERVER FOR Z/OS AND OS/390                      Release 15.1 Related Problem: LDAPDV 231 Copyright (C) 2015 CA. All rights reserved. R00074-LDP151-SP1  DESC(ADD SUPPORT FOR MEMLIMIT AND SHMEMMAX). ++VER (Z038) FMID (CDT9F10) PRE ( RO56879 RO58276 ) SUP ( RO59079 RO62247 RO63341 RO63735 RO64316 RO67510 RO70487 RO70599 RO73506 RO74208 RO80291 TR59079 TR62247 TR63341 TR63735 TR64316 TR67510 TR70487 TR70599 TR73506 TR74208 TR80291 TR80373 ) ++HOLD (RO80373) SYSTEM FMID(CDT9F10) REASON (DYNACT )   DATE (15203) COMMENT ( +-----+        CA LDAP SERVER FOR Z/OS AND OS/390          Release 15.1        +-----+  SEQUENCE     After Apply. prior to LDAP restart.                      +-----+  PURPOSE      Implement PTF in LDAP.   +-----+  USERS        All Users.  AFFECTED   +-----+  KNOWLEDGE    SMP/E.  REQUIRED     Product Installation.   Product Deployment.  USS Commands.   +-----+  ACCESS       Access to the CDT9JCL dataset.                                       REQUIRED     Access to the USS directory where LDAP is installed.                             Permissions to make changes on the USS directory.                   +-----+ ***** * STEPS     TO     PERFORM * ***** 1. Restart LDAP ). BINARY LINK('..back_catss_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre>

CA LDAP 15.1  
CA RS 1512 - PTF RO81425 Details

Release	Service	Details
15.1	RO81425	<pre> RO81425  M.C.S. ENTRIES  = ++PTF (RO81425)  DELETE USER WITH DATASET (RACF) ENHANCEMENT DESCRIPTION: This enhancement will allow user to delete a user when there are datasets associated with that user.  It will first remove the control of the datasets from the user and then delete the user.  There were two Configuration options added for this enhancement and they are both disabled. 1. enableDeldsn When deleting a User when this option is set it will delete the associated control  datasets so that the user can be deleted. It's not enabled by default. Example: enableDeldsn 2. enableOnlyAt Enter the node that you want the delete to take place on.  When this option is set the node you enter is added to the ONLYAT It's not enabled by default. Default: disabled by default Example: enableOnlyAt zm24 PRODUCT(S) AFFECTED: LDAP SERVER FOR Z/OS AND OS/390                               Release 15.0 LDAP SERVER FOR Z/OS AND OS/390                               Release 15.1 Related Problem: LDAPDV 232 Copyright (C) 2015 CA. All rights reserved. R00076-LDP151-SP1  DESC(DELETE USER WITH DATASET (RACF)). ++VER (Z038) FMID (CDT9F10) SUP ( RO61352 TR61352 TR81387 TR81425 ) ++HOLD (RO81425) SYSTEM FMID(CDT9F10) REASON (DYNACT )   DATE (15327) COMMENT ( +-----+        CA LDAP SERVER FOR Z/OS AND OS/390                Release 15.1        +-----+  SEQUENCE     After Apply. prior to LDAP restart.                  +-----+  PURPOSE      Implement PTF in LDAP.  +-----+  USERS        All Users.   AFFECTED  +-----+  KNOWLEDGE    SMP/E.   REQUIRED     Product Installation.   Product Deployment.   USS Commands.   +-----+  ACCESS       Access to the CDT9JCL dataset.                                   REQUIRED     Access to the USS directory where LDAP is installed.                         Permissions to make changes on the USS directory.             +-----+ ***** * STEPS     TO     PERFORM * ***** 1. Restart LDAP ). BINARY LINK('../back_racf_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre>

CA LDAP 15.1  
CA RS 1512 - PTF RO82097 Details

Release	Service	Details
15.1	RO82097	<p>RO82097 M.C.S. ENTRIES = ++PTF (RO82097)</p> <p>UPPERCASING RACF OMVS SEGMENTS</p> <p>PROBLEM DESCRIPTION: When using LDAP CMDLINE to enter a RACF OMVS segment if any parts of it are lowercase they will be uppercased.</p> <p>SYMPTOMS: Upper casing the OMVS segment when using the CMDLINE in LDAP.</p> <p>IMPACT: Upper casing parts of a RACF OMVS segment which causes the user problems using OMVS.</p> <p>CIRCUMVENTION: N/A</p> <p>PRODUCT(S) AFFECTED: LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.0</span> LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.1</span></p> <p>Related Problem: LDAPDV 233</p> <p>Copyright (C) 2015 CA. All rights reserved. R00077-LDP151-SP1</p> <p>DESC(UPPERCASING RACF OMVS SEGMENTS). ++VER (Z038) FMID (CDT9F10) SUP ( RO61352 RO81425 TR61352 TR81387 TR81425 TR82097 ) ++HOLD (RO82097) SYSTEM FMID(CDT9F10) REASON (DYNACT ) DATE (15328) COMMENT (</p> <pre> +-----+            CA LDAP SERVER FOR Z/OS AND OS/390          Release 15.1            +-----+  SEQUENCE   After Apply. prior to LDAP restart.   +-----+  PURPOSE    Implement PTF in LDAP.   +-----+  USERS      All Users.    AFFECTED     +-----+  KNOWLEDGE   SMP/E.    REQUIRED    Product Installation.                Product Deployment.                USS Commands.   +-----+  ACCESS     Access to the CDT9JCL dataset.    REQUIRED    Access to the USS directory where LDAP is installed.                Permissions to make changes on the USS directory.   +-----+ ***** * STEPS TO PERFORM * ***** 1. Restart LDAP ). BINARY LINK('../back_racf_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre>

CA LDAP 15.1  
CA RS 1512 - PTF RO83625 Details

Release	Service	Details
15.1	RO83625	<p>RO83625 M.C.S. ENTRIES = ++PTF (RO83625)</p> <p>TSS FILTER SUPPORT UPDATES</p> <p>PROBLEM DESCRIPTION: When issuing an LDAP search that has an OR operator in the search request, LDAP turns this into a LIST ACIDS</p> <p>SYMPTOMS: Due to the time it takes for a LIST ACIDS, it appears as LDAP is hung and not working.</p> <p>IMPACT: The LDAP Server continues working and eventually returns the answer.</p> <p>CIRCUMVENTION: N/A</p> <p>PRODUCT(S) AFFECTED: LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.0</span> LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.1</span></p> <p>Related Problem: LDAPDV 239</p> <p>Copyright (C) 2015 CA. All rights reserved. R00082-LDP151-SP1</p> <p>DESC(TSS FILTER SUPPORT UPDATES). ++VER (Z038) FMID (CDT9F10) SUP ( R056879 R058276 R059079 R059547 R061354 R061825 R062247 R062917 R063341 R063735 R064316 R067510 R068380 R070487 R070599 R073506 R074208 R079448 R080291 R080373 R083907 TR56879 TR57405 TR58276 TR59079 TR59547 TR61354 TR61825 TR62247 TR62917 TR63341 TR63735 TR64316 TR66084 TR67510 TR68380 TR70487 TR70599 TR73506 TR74208 TR79448 TR80291 TR80373 TR83625 TR83907 ) ++HOLD (RO83625) SYSTEM FMID(CDT9F10) REASON (DYNACT ) DATE (15308) COMMENT ( +-----+   CA LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.1</span>   +-----+  SEQUENCE   After Apply. prior to LDAP restart.   +-----+  PURPOSE   Implement PTF in LDAP.   +-----+  USERS   All Users.    AFFECTED     +-----+  KNOWLEDGE   SMP/E.    REQUIRED   Product Installation.       Product Deployment.       USS Commands.   +-----+  ACCESS   Access to the CDT9JCL dataset.    REQUIRED   Access to the USS directory where LDAP is installed.       Permissions to make changes on the USS directory.   +-----+ ***** * STEPS TO PERFORM * ***** 1. Restart LDAP ) ). BINARY LINK('..back_caacf2_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . BINARY</p>

CA LDAP 15.1  
CA RS 1512 - PTF R083625 Details

Release	Service	Details
		LINK(' ../back_catss_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) .



CA LDAP 15.1  
CA RS 1512 - PTF RO83907 Details

Release	Service	Details
15.1	RO83907	<pre> RO83907  M.C.S. ENTRIES  = ++PTF (RO83907)  GENERALTSOACCESS ATTRIBUTE NOT TRIGGER CREATEALIAS PROBLEM DESCRIPTION: When using LDAP with CA ACF2 in namingMode acf, the GeneralTSOAccess attribute doesn't cause the createAlias functionality to execute. SYMPTOMS: createAlias never issues 'DEF ALIAS REL() CAT()' as needed IMPACT: The LDAP Server continues on, no abend, no indication that createAlias never executed CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA LDAP SERVER FOR Z/OS AND OS/390                      Release 15.0 CA LDAP SERVER FOR Z/OS AND OS/390                      Release 15.1 Related Problem: LDAPDV 240 Copyright (C) 2015 CA. All rights reserved. R00083-LDP151-SP1  DESC(GENERALTSOACCESS ATTRIBUTE NOT TRIGGER CREATEALIAS). ++VER (Z038) FMID (CDT9F10) PRE ( RO56879 RO58276 ) SUP ( RO59547 RO61354 RO61825 RO62917 RO68380 RO79448 TR57405 TR59547 TR61354 TR61825 TR62917 TR66084 TR68380 TR79448 TR83907 ) ++HOLD (RO83907) SYSTEM FMID(CDT9F10) REASON (DYNACT )   DATE (15308) COMMENT ( +-----+        CA LDAP SERVER FOR Z/OS AND OS/390                      Release 15.1        +-----+  SEQUENCE   After Apply. prior to LDAP restart.                      +-----+  PURPOSE    Implement PTF in LDAP.   +-----+  USERS      All Users.   AFFECTED  +-----+  KNOWLEDGE  SMP/E.  REQUIRED   Product Installation.   Product Deployment.   USS Commands.   +-----+  ACCESS     Access to the CDT9JCL dataset.                                    REQUIRED   Access to the USS directory where LDAP is installed.                       Permissions to make changes on the USS directory.             +-----+ ***** * STEPS TO PERFORM * ***** 1. Restart LDAP ). BINARY LINK('..back_caacf2_utf.dll') PARAM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre>

CA LDAP 15.1  
CA RS 1512 - PTF RO86240 Details

Release	Service	Details
15.1	RO86240	<p>RO86240 M.C.S. ENTRIES = ++PTF (RO86240)</p> <p>ACF2LIDATTR CSV PROBLEM DESCRIPTION: The LDAP server creates a acf2lidattr.csv file in it's runtime directory that is not used by the server. SYMPTOMS: There is a acf2lidattr.csv created in the LDAP server runtime directory. IMPACT: Affects mounting of a file system the server is on if needed to be read only. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: CA LDAP SERVER FOR Z/OS AND OS/390 <span style="float: right;">Release 15.1</span> Related Problem: LDAPDV 241 Copyright (C) 2015 CA. All rights reserved. R00084-LDP151-SP1</p> <p>DESC(ACF2LIDATTR CSV). ++VER (Z038) FMID (CDT9F10) SUP ( RO56879 RO58276 RO59079 RO59547 RO61354 RO61825 RO62247 RO62917 RO63341 RO63735 RO64316 RO67510 RO68380 RO70487 RO70599 RO73506 RO74208 RO79448 RO80291 RO80373 RO83625 RO83907 TR56879 TR57405 TR58276 TR59079 TR59547 TR61354 TR61825 TR62247 TR62917 TR63341 TR63735 TR64316 TR66084 TR67510 TR68380 TR70487 TR70599 TR73506 TR74208 TR79448 TR80291 TR80373 TR83625 TR83907 TR86240 ) ++HOLD (RO86240) SYSTEM FMID(CDT9F10) REASON (DYNACT ) DATE (15317) COMMENT (</p> <pre> +-----+        CA LDAP SERVER FOR Z/OS AND OS/390      Release 15.1        +-----+-----+  SEQUENCE   After Apply. prior to LDAP restart.   +-----+-----+  PURPOSE    Implement PTF in LDAP.   +-----+-----+  USERS      All Users.    AFFECTED     +-----+-----+  KNOWLEDGE  SMP/E.    REQUIRED   Product Installation.               Product Deployment.               USS Commands.   +-----+-----+  ACCESS     Access to the CDT9JCL dataset.    REQUIRED   Access to the USS directory where LDAP is installed.               Permissions to make changes on the USS directory.   +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Restart LDAP ). BINARY LINK('./back_caacf2_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . BINARY LINK('./back_catss_utf.dll') PARM(PATHMODE(0,7,5,5),APF,PROGCTL,NOSHAREAS) . </pre>