

CA Top Secret Security for z/OS 15.0
CA RS 1512 Service List

Release	Service	Description	Type
15.0	R083758	ADD ENTITY TO LOG RECORD FOR DRC032 UNKNOWN CLASS	PTF
	R084432	ABEND IN TSSFRVT OFFSET X'0002' DURING TSS STARTUP	PTF
	R084535	TSS RECOVERY FILE COMMANDS MAY BE INCORRECT FOR AUTOUID/GID	PTF
	R084957	OPTION TO MAKE SCANDINAVIAN VOWELS INVALID IN NEW PASSWORDS	PTF
	R085101	SAFOETKT S0E0-28 ABEND PARSING KERBEROS V5 TICKET	PTF
	R085548	TSS9723I MESSAGE CHANGE	PTF
	R085591	TSSCIALD S0E0-30 ABEND	PTF
	R085967	CORRECT LENGTH OF ENTITY FOR DASDVOL/VOLUME CLASS EVENTS	PTF
	R086289	NEW RDT CLASS CADCD FOR PRODUCT CADCD 1.0	PTF

The CA RS 1512 service count for this release is 9

CA Top Secret Security for z/OS
CA RS 1512 Service List for CAKOF00

FMID	Service	Description	Type
CAKOF00	RO83758	ADD ENTITY TO LOG RECORD FOR DRC032 UNKNOWN CLASS	PTF
	RO84432	ABEND IN TSSSRVVT OFFSET X'0002' DURING TSS STARTUP	PTF
	RO84535	TSS RECOVERY FILE COMMANDS MAY BE INCORRECT FOR AUTOUID/GID	PTF
	RO84957	OPTION TO MAKE SCANDINAVIAN VOWELS INVALID IN NEW PASSWORDS	PTF
	RO85101	SAFOETKT SOE0-28 ABEND PARSING KERBEROS V5 TICKET	PTF
	RO85548	TSS9723I MESSAGE CHANGE	PTF
	RO85591	TSSCIALD SOE0-30 ABEND	PTF
	RO85967	CORRECT LENGTH OF ENTITY FOR DASDVOL/VOLUME CLASS EVENTS	PTF
	RO86289	NEW RDT CLASS CADCD FOR PRODUCT CADCD 1.0	PTF
The CA RS 1512 service count for this FMID is 9			

CA Top Secret Security for z/OS 15.0
CA RS 1512 - PTF RO83758 Details

Release	Service	Details
15.0	RO83758	<pre> RO83758 M.C.S. ENTRIES = ++PTF (RO83758) ADD ENTITY TO LOG RECORD FOR DRC032 UNKNOWN CLASS ENHANCEMENT DESCRIPTION: The TSS9410E violation log record for a RACROUTE call issued with an invalid Resource Class does not contain the ENTITY= field information. This maintenance will include the Resource Name in the RESOURCE field of the audit record for the violation allowing it to be displayed in a TSSUTIL or TSSTRACK report. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 15.0 Related Problem: TSSMVS 9720 Copyright (C) 2015 CA. All rights reserved. R01157-TSS150-SP1 DESC(ADD ENTITY TO LOG RECORD FOR DRC032 UNKNOWN CLASS). ++VER (Z038) FMID (CAKOF00) PRE (R018784 R019158 R025587 R032654 R035644 R036198 R045458 R046592 R047831 R047860 R055678 R058366 R063740 R071376) SUP (AR45458 AR50077 IR55678 R026491 R027036 R036860 R043837 R050077 R053985 R055023 R059666 R064729 R065762 TR26491 TR27036 TR36860 TR41888 TR42119 TR43837 TR50077 TR53696 TR53985 TR54009 TR55023 TR59666 TR64729 TR65762 TR68320 TR69454 TR70478 TR70602 TR79095 TR83758 TR85075) ++HOLD (RO83758) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15315) COMMENT (+-----+ CA Top Secret for z/OS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS ALL AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** SMP APPLY, LLA REFRESH and restart CA Top Secret with TSS,,REINIT). </pre>

CA Top Secret Security for z/OS 15.0
 CA RS 1512 - PTF RO84432 Details

Release	Service	Details
15.0	RO84432	<p>RO84432 M.C.S. ENTRIES = ++PTF (RO84432)</p> <p>ABEND IN TSSFRVT OFFSET X'0002' DURING TSS STARTUP PROBLEM DESCRIPTION: Due to a timing error during TSS startup one can receive an S0C1 in TSSFRVT at offset x'0002'</p> <p>SYMPTOMS: Error occurred in JES2 address space while TSS was initializing. A SVC dump was produced and JES2 recovered. TSS continued to initialize.</p> <p>IMPACT: Depends on the address space that ABENDS.</p> <p>CIRCUMVENTION: Restart the failed address space.</p> <p>PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 15.0 Release 14.0</p> <p>Related Problem: TSSMVS 9726</p> <p>Copyright (C) 2015 CA. All rights reserved. R01160-TSS150-SP1</p> <p>DESC(ABEND IN TSSFRVT OFFSET X'0002' DURING TSS STARTUP). ++VER (Z038) FMID (CAKOF00) SUP (TR84432) ++HOLD (RO84432) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15260) COMMENT (</p> <pre> +-----+ CA Top Secret for z/OS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Installing update TSSSEC00 module +-----+ USERS All users of TSS AFFECTED +-----+ KNOWLEDGE 1- SMP/e REQUIRED 2- z/OS Systems Programming 3- z/OS Operator Commands +-----+ ACCESS SMP/e CSI libraries REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** SMP APPLY, LLA REFRESH and restart CA Top Secret).</pre>

CA Top Secret Security for z/OS 15.0
CA RS 1512 - PTF RO84535 Details

Release	Service	Details
15.0	RO84535	<p>RO84535 M.C.S. ENTRIES = ++PTF (RO84535)</p> <p>TSS RECOVERY FILE COMMANDS MAY BE INCORRECT FOR AUTOUID/GID</p> <p>PROBLEM DESCRIPTION: TSS Commands entered in batch tmp jobs with leading blanks can create invalid recovery file records.</p> <p>SYMPTOMS: During forward recovery these commands would fail.</p> <p>IMPACT: Forward recovery could be incomplete leaving some ACIDS without their UID.</p> <p>CIRCUMVENTION: Edit the commands in the Recovery File to ensure correctness prior to running forward recovery.</p> <p>PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 15.0</p> <p>Related Problem: TSSMVS 9728</p> <p>Copyright (C) 2015 CA. All rights reserved. R01161-TSS150-SP1</p> <p>DESC(TSS RECOVERY FILE COMMANDS MAY BE INCORRECT FOR AUTOUID/GID). ++VER (Z038) FMID (CAKOF00) PRE (RO20497 RO23523 RO36198 RO38472 RO38876 RO43262 RO50801 RO55678 RO63150 RO63740 RO64503 RO69457 RO70635 RO71034 RO80847) SUP (AR80847 DR36198 RO26159 RO26572 RO38113 RO40741 RO46328 RO57834 RO60151 RO60841 RO66026 RO73095 RO73997 RO75450 RO77433 RO82607 TR26159 TR26572 TR38113 TR40741 TR45022 TR46328 TR57834 TR60151 TR60841 TR66026 TR72538 TR73095 TR73997 TR75450 TR76834 TR77433 TR82607 TR84535) ++HOLD (RO84535) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15315) COMMENT (+-----+ CA Top Secret for z/OS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS All users of UID(?) GID(?) AFFECTED +-----+ KNOWLEDGE SMP/E Administration REQUIRED Operator Commands +-----+ ACCESS CA Top Secret Administrator authority REQUIRED Operator Commands +-----+ ***** * STEPS TO PERFORM * ***** SMP APPLY, LLA REFRESH and a restart of TSS.).</p>

CA Top Secret Security for z/OS 15.0
CA RS 1512 - PTF RO84957 Details

Release	Service	Details
15.0	RO84957	<p>RO84957 M.C.S. ENTRIES = ++PTF (RO84957)</p> <p>OPTION TO MAKE SCANDINAVIAN VOWELS INVALID IN NEW PASSWORDS</p> <p>PROBLEM DESCRIPTION: Option 87 is an option to make characters (X'6A'), { (X'C0), AND } (X'D0') invalid when a user changes their password.</p> <p>SYMPTOMS: Without the option the characters (X'6A'), { (X'C0'), AND } (X'D0') are valid for a user to use in their new password.</p> <p>IMPACT: Users can use these characters in their new passwords</p> <p>CIRCUMVENTION: None</p> <p>PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 15.0</p> <p>Related Problem: TSSMVS 9718</p> <p>Copyright (C) 2015 CA. All rights reserved. R01164-TSS150-SP1</p> <p>DESC(OPTION TO MAKE SCANDINAVIAN VOWELS INVALID IN NEW PASSWORDS). ++VER (Z038) FMID (CAKOF00) PRE (R025587 R026450 R036198 R037109 R038472 R045811 R050143 R050925 R055678 R060611 R063150 R063740 R066142 R068239 R068259 R070449 R078265 R079104) SUP (CC56243 DC56243 RI63057 R040589 R042155 R042988 R058021 R058318 R063014 R077812 R081966 TR16265 TR16732 TR31112 TR31438 TR40589 TR42155 TR42988 TR57058 TR57652 TR58021 TR58318 TR60294 TR63014 TR77812 TR81966 TR83606 TR84331 TR84957) ++HOLD (RO84957) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15271) COMMENT (</p> <pre> +-----+ CA Top Secret for z/OS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS ALL AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** SMP APPLY, LLA REFRESH and restart CA Top Secret with TSS,,REINIT). </pre>

CA Top Secret Security for z/OS 15.0
CA RS 1512 - PTF RO85101 Details

Release	Service	Details
15.0	RO85101	<p>RO85101 M.C.S. ENTRIES = ++PTF (RO85101)</p> <p>SAFOETKT S0E0-28 ABEND PARSING KERBEROS V5 TICKET Reported Rel: 15.0 Earliest Affected Rel: 15.0 Amended Rel: PROBLEM DESCRIPTION: When parsing a Kerberos V5 ticket,SAFOETKT ABENDS with S0E0-28 on return from the Kerberos server. The problem showed up after the client applied PUT1506 on Z/OS 2.1. The AR registerS R1 and RF were invalid. SYMPTOMS: S0E0-28 ABEND in SAFOTKT. IMPACT: Cannot parse the Kerberos ticket. CIRCUMVENTION: None PRODUCT(S) AFFECTED: CA-TOP SECRET-MVS Release 15.0 Related Problem: TSSMVS 9734 Copyright (C) 2015 CA. All rights reserved. R01166-TSS150-SP1</p> <p>DESC(SAFOETKT S0E0-28 ABEND PARSING KERBEROS V5 TICKET). ++VER (Z038) FMID (CAKOF00) PRE (RO35644 RO36198) SUP (RO32063 RO41246 TR32063 TR41246 TR85101) ++HOLD (RO85101) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15309) COMMENT (</p> <pre> +-----+ CA Top Secret for z/OS Release 15.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Updated updated SAFOETRT for R_Ticketserv +-----+-----+ USERS All Kerberos users AFFECTED +-----+-----+ KNOWLEDGE 1- SMP/e REQUIRED 2- z/OS Systems Programming 3- z/OS Operator Commands +-----+-----+ ACCESS SMP/e CSI libraries REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** F LLA,REFRESH and F TSS,REFRESH(OEDRV)).</pre>

CA Top Secret Security for z/OS 15.0
 CA RS 1512 - PTF RO85548 Details

Release	Service	Details
15.0	RO85548	<p>RO85548 M.C.S. ENTRIES = ++PTF (RO85548)</p> <p>TSS9723I MESSAGE CHANGE PROBLEM DESCRIPTION: Message TSS9723I says that XCF is inactive but TSS9723E has nothing to do with XCF. Changing it to TSS9724I. SYMPTOMS: Undocumented message appears when XCF is inactive. IMPACT: None. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 15.0 Related Problem: TSSMVS 9735 Copyright (C) 2015 CA. All rights reserved. R01167-TSS150-SP1</p> <p>DESC(TSS9723I MESSAGE CHANGE). ++VER (Z038) FMID (CAKOF00) PRE (R025587 R026450 R036198 R037109 R038472 R045811 R050143 R050925 R055678 R060611 R063150 R063740 R066142 R068239 R068259 R070449 R078265 R079104) SUP (CC56243 DC56243 RI63057 R040589 R042155 R042988 R058021 R058318 R063014 R077812 R081966 R084957 TR16265 TR16732 TR31112 TR31438 TR40589 TR42155 TR42988 TR57058 TR57652 TR58021 TR58318 TR60294 TR63014 TR77812 TR81966 TR83606 TR84331 TR84957 TR85548) ++HOLD (RO85548) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15321) COMMENT (</p> <pre> +-----+ CA Top Secret for z/OS Release 15.0 +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE changes the TSS9723I to TSS9724I +-----+-----+ USERS Console users who issue XCF AFFECTED +-----+-----+ KNOWLEDGE MVS administration REQUIRED +-----+-----+ ACCESS Console REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** Issue '/F LLA,REFRESH' from the console.).</pre>

CA Top Secret Security for z/OS 15.0
 CA RS 1512 - PTF R085591 Details

Release	Service	Details
15.0	R085591	<p>R085591 M.C.S. ENTRIES = ++PTF (R085591)</p> <p>TSSCIALD S0E0-30 ABEND PROBLEM DESCRIPTION: TSSCIALD intermittently gets a S0E0-30 abend in sort routine. The sort module recursively calls itself. Depending on the size of the data and the sorting required, there may be many recursive calls. The routine that is called recursively uses the program stack area to save registers. This area is not large enough to handle a large number of recursive calls. The fix will expand this area. SYMPTOMS: CIAUNLD job abends with S0E0-30 abend code. IMPACT: CIAUNLD job will not complete. CIRCUMVENTION: None. PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 15.0 Related Problem: TSSMVS 9736 Copyright (C) 2015 CA. All rights reserved. R01168-TSS150-SP1</p> <p>DESC(TSSCIALD S0E0-30 ABEND). ++VER (Z038) FMID (CAKOF00) PRE (R035644 R036198 R036912 R047730 R050925 R055372 R077159 R077239) SUP (R042348 R064901 R070640 TR42348 TR51709 TR54274 TR61173 TR61185 TR64901 TR70640 TR85591) ++HOLD (R085591) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15306) COMMENT (</p> <pre> +-----+ CA Top Secret for z/OS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Activate change without IPL +-----+ USERS All users AFFECTED +-----+ KNOWLEDGE Operator commands REQUIRED +-----+ ACCESS z/OS Operator console REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** LLA Refresh and Restart of job).</pre>

CA Top Secret Security for z/OS 15.0
CA RS 1512 - PTF RO85967 Details

Release	Service	Details
15.0	RO85967	<p>RO85967 M.C.S. ENTRIES = ++PTF (RO85967)</p> <p>The following items are included in this solution:</p> <ol style="list-style-type: none"> CORRECT LENGTH OF ENTITY FOR DASDVOL/VOLUME CLASS EVENTS ADD OPTIONS(86) TO SUPPRESS RACROUTE LOG=NONE EVENTS <p>=====</p> <p>CORRECT LENGTH OF ENTITY FOR DASDVOL/VOLUME CLASS EVENTS</p> <p>PROBLEM DESCRIPTION:</p> <p>When a DASDVOL class event is generated in CMGR, the entity field of the event record contains a 256 byte field with the volume serial value stored in the last 6 bytes. The entity field should only be 6 bytes and contain only the volume serial number.</p> <p>SYMPTOMS:</p> <p>An SQL request of the entity field within an object access event returns the following data:</p> <p>.....999999</p> <p>It should return this data:</p> <p>999999</p> <p>IMPACT:</p> <p>250 bytes of wasted space is attached to every object access event for the DASDVOL/VOLUME resource class.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED: CA Top Secret for z/OS Release 15.0</p> <p>Related Problem: TSSMVS 9635</p> <p>=====</p> <p>ADD OPTIONS(86) TO SUPPRESS RACROUTE LOG=NONE EVENTS</p> <p>PROBLEM DESCRIPTION:</p> <p>Add new control option OPTIONS(86) to prevent events from being sent to Compliance Manager when the RACROUTE parameter list includes the option LOG=NONE.</p> <p>SYMPTOMS:</p> <p>A large volume of object access type events is sent to the Compliance Manager product even though these events do not show up in the Top Secret audit file.</p> <p>IMPACT:</p> <p>A high volume of unwanted event information taking up space in the Compliance Manager back end repository.</p> <p>CIRCUMVENTION:</p> <p>None.</p> <p>PRODUCT(S) AFFECTED: CA-TOP SECRET-MVS Release 16.0</p> <p>CA-TOP SECRET-MVS Release 15.0</p> <p>Related Problem: TSSMVS 9711</p> <p>Copyright (C) 2015 CA. All rights reserved. R01172-TSS150-SP1</p> <p>DESC(CORRECT LENGTH OF ENTITY FOR DASDVOL/VOLUME CLASS EVENTS). ++VER (Z038) FMID (CAKOF00) PRE (RO26450 RO47730 RO55678) SUP (RO24344 RO25077 RO27279 RO41076 RO48059 RO53077 RO54379 RO55069 RO63094 RO64045 RO67706 RO75325 TR24211 TR24344 TR25077 TR27279 TR41076 TR44357 TR48059 TR53077 TR54379 TR54504 TR55069 TR63094 TR63379 TR64045 TR67706 TR71948 TR75325 TR76839 TR85962 TR85967) ++HOLD (RO85967) SYSTEM FMID(CAKOF00) REASON (DYNACT) DATE (15307) COMMENT (</p> <p>-----+ CA Top Secret for z/OS Release 15.0 -----+ SEQUENCE After Apply -----+</p>

Release	Service	Details
		<pre> PURPOSE Load module into LLA and activate +-----+-----+ USERS All AFFECTED +-----+-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. SMP APPLY, LLA REFRESH 2. Add OPTIONS(86) to parameter file if desired 3. Restart CA Top Secret with TSS,,REINIT). </pre>

CA Top Secret Security for z/OS 15.0
CA RS 1512 - PTF RO86289 Details

Release	Service	Details
15.0	RO86289	<p>RO86289 M.C.S. ENTRIES = ++PTF (RO86289)</p> <p>NEW RDT CLASS CADCD FOR PRODUCT CADCD 1.0</p> <p>PROBLEM DESCRIPTION:</p> <p>Define new TSS RDT class for CADCD</p> <p>RESOURCE CLASS = CADCD</p> <p>RESOURCE CODE = X'xxxx'</p> <p>ATTRIBUTE = MASKABLE,MAXOWN(26),MAXPERMIT(255),ACCESS,DEFPROT</p> <p>ACCESS = ALL(FFFF),UPDATE(8000),READ(4000),CONTROL(0400)</p> <p>ACCESS = NONE(0000)</p> <p>DEFACC = READ</p> <p>SYMPTOMS:</p> <p>Define new RDT class CADCD</p> <p>IMPACT:</p> <p>Define new RDT class CADCD</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED: CA-TOP SECRET-MVS Release 15.0</p> <p>CA-TOP SECRET-MVS Release 16.0</p> <p>Related Problem:</p> <p>TSSMVS 9755</p> <p>Copyright (C) 2015 CA. All rights reserved. R01175-TSS150-SP1</p> <p>DESC(NEW RDT CLASS CADCD FOR PRODUCT CADCD 1.0).</p> <p>++VER (Z038)</p> <p>FMID (CAKOF00)</p> <p>PRE (RO18634 RO19256 RO35644 RO36198 RO67185)</p> <p>SUP (RO31217 RO64641 RO78283 TR31217 TR55095 TR56352</p> <p>TR64641 TR78283 TR86289)</p> <p>++HOLD (RO86289) SYSTEM FMID(CAKOF00)</p> <p>REASON (IPL) DATE (15317)</p> <p>COMMENT (</p> <pre> +-----+ CA Top Secret for z/OS Release 15.0 +-----+ SEQUENCE After Apply +-----+ PURPOSE Load module into LLA and activate +-----+ USERS All AFFECTED +-----+ KNOWLEDGE 1. Console commands REQUIRED 2. Top Secret administration +-----+ ACCESS 1. Console authority REQUIRED 2. TSS administrative authority +-----+ ***** * STEPS TO PERFORM * ***** 1. Perform the following commands if resclass CADCD is already defined: a. TSS REVOKE(user_acid) CADCD(xxxxxx) b. TSS REMOVE(dept_acid) CADCD(xxxxxx) c. TSS REM(RDT) RESCLASS(CADCD) 2. SMP APPLY, LLA REFRESH and restart CA Top Secret with TSS,,REINIT 3. Message 'TSS9045I RDT SYNCHRONIZATION COMPLETE' will result after restart of TSS 4. IPL 5. Perform the following commands once TSS has been restarted: a. TSS ADDTO(dept_acid) CADCD(xxxxxx) B. TSS PERM(user_acid) CADCD(xxxxxx)). </pre>